

# Work Order ID 73513

Thursday, September 01, 2011 12:43:32 PM

Page 1

Item ID: D3997-17

Accept

Revision ID:

Item Name: Placard

Setup Start

Stop

Start Date: 9/1/2011 Start Qty: 10.00

Required Date: 9/8/2011 Req'd Qty: 10.00

Cust Item ID:

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

QC:

Date:

SPC (Y/N):

Date:

Stop

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID

Tool #

Plan  
Code

Accept  
Qty

Reject  
Qty

Reject  
Number

Insp.  
Stamp

Draw Nbr

Revision Nbr

D3997

A

100

0.00



Purchasing

Memo

0.00

Purchasing

Issue P/O: 14813  
Manufacture as per Dwg D3997  
Possible Supplier: Studio Lettrage  
Material release note required

CL 11/09/02 10

110

Receive & Inspect for Damage & Mat'l Certs

0.00



Packaging

Memo

0.00

Packaging

24/9/12 (10)

120

QC6- Inspect dimensions to drawing

0.00



QC

Memo

0.00

Quality Control

8/10/12

(710)

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Work Order ID 73513

Thursday, September 01, 2011 12:43:32 PM



Page 2

Item ID: D3997-17

Accept



Setup Start



Revision ID:

Stop



Item Name: Placard

Start Date: 9/1/2011 Start Qty: 10.00



Cust Item ID:

Required Date: 9/8/2011 Req'd Qty: 10.00



Customer:

Reference:

Run Start



Approvals: Process Plan:

Date:

Tooling:

Date:

Stop



QC:

Date:

SPC (Y/N):

Date:

Sequence ID/  
Work Center ID

Operation  
Description

Set Up/  
Run Hours

Tool ID Tool # Plan Accept Reject Reject Insp.  
Code Qty Qty Number Stamp

130

Identify as per dwg & Stock Location: ST 104

0.00



Packaging

Memo

0.00

Packaging



SP 11-09-13



140

QC21- Final Inspection - Work Order Release

0.00



QC

Memo

0.00

Quality Control

11/9/13

11-09-13

(10)

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries

# Picklist Print

Thursday, September 01, 2011 12:43:29 PM

Page 1

Work Order ID: 73513

Parent Item: D3997-17

Parent Item Name: Placard





Start Date: 9/1/2011

Required Date: 9/8/2011

Start Qty: 10.00

Required Qty: 10.00

Comments: IPP rev A 10.01.12 new issue Prelim EC verified by:DD

| Component Item ID/<br>Item Name   | Replacement<br>Item ID | Mfg/<br>Purch | Bin<br>Item | Primary<br>Location | Last<br>Location | Route<br>Seq ID | Unit of<br>Measure | Qty on<br>Hand | Qty per Kit   | Total<br>Qty | Qty<br>Issued | Date<br>Issued | Status |
|---|------------------------|---------------|-------------|---------------------|------------------|-----------------|--------------------|----------------|---|--------------|---------------|----------------|--------|
| D3997-17P<br><br>Placard |                        | Purchased     | No          |                     |                  |                 | Each               | 0.0000         |  | 10           |               | 9/11/12        | (10)   |

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_


Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |


**NOTE:** Date & initial all entries

| DART AEROSPACE<br>PART NUMBER | JOHN CAMERON AVIATION<br>PART NUMBER |
|-------------------------------|--------------------------------------|
| D3997-13                      | JCA-M47-P7                           |
| D3997-15                      | JCA-M47-P8                           |
| D3997-17                      | JCA-M47-P9                           |
| D3997-19                      | JCA-M47-P10                          |


| PART NUMBER | INSTALLATION INSTRUCTIONS                            |
|-------------|--|
| D3997-13    | AROUND FUEL PUMP ON/OFF SWITCH                       |
| D3997-15    | ON BAGGAGE LOCKER OUTER SURFACE BELOW RELEASE BUTTON |
| D3997-17    | ON TANK OUTBOARD SURFACE                             |
| D3997-19    | AT VENT LINE OUTLET ON AIRCRAFT                      |




**D3997-13 PLACARD**



**D3997-15 PLACARD**



**D3997-17 PLACARD**



**D3997-19 PLACARD**

*W/O 735B*

**RELEASED**  
2010-01-11

- NOTES:**
- 1) MATERIAL: 3M 7 MIL MASKING FILM #8522CP OR AVERY IPM #2031
  - 2) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
  - 3) UNITS: INCHES UNLESS OTHERWISE NOTED
  - 4) 10 PT FONT, WHITE TEXT ON BLACK BACKGROUND
  - 5) 6 PT FONT, WHITE TEXT ON BLACK BACKGROUND
  - 6) 22 PT FONT, BLACK TEXT ON WHITE BACKGROUND
  - 7) 24 PT BOLD FONT, BLACK TEXT ON WHITE BACKGROUND
  - 8) 18 PT BOLD FONT, BLACK TEXT ON WHITE BACKGROUND
  - 9) 6 PT FONT, BLACK TEXT ON WHITE BACKGROUND

|            |          |   |              |
|------------|----------|---|--------------|
| DESIGN     |          | <b>DART AEROSPACE LTD</b>   |              |
| DRAWN      |          | HAWKESBURY, ONTARIO, CANADA   |              |
| CHECKED    |          | DRAWING NO.   | REV. A       |
| MFG. APPR. |          | D3997   | SHEET 3 OF 6 |
| APPROVED   |          | TITLE   | SCALE        |
| DE APPR.   |          | PLACARD   | NTS          |
| DATE       | 09.10.05 | <small>COPYRIGHT © 2009 BY DART AEROSPACE LTD<br/>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS<br/>NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT<br/>WRITTEN PERMISSION FROM DART AEROSPACE LTD</small> |              |

| W/O: |      | WORK ORDER CHANGES |    |      |     |                                     |                          |
|------|------|--------------------|----|------|-----|-------------------------------------|--------------------------|
| DATE | STEP | PROCEDURE CHANGE   | By | Date | Qty | Approval<br>Chief Eng /<br>Prod Mgr | Approval<br>QC Inspector |
|      |      |                    |    |      |     |                                     |                          |
|      |      |                    |    |      |     |                                     |                          |

Part No: \_\_\_\_\_ PAR #: \_\_\_\_\_ Fault Category: \_\_\_\_\_ NCR: Yes No DQA: \_\_\_\_\_ Date: \_\_\_\_\_

Resolution: \_\_\_\_\_ Disposition: \_\_\_\_\_ QA: N/C Closed: \_\_\_\_\_ Date: \_\_\_\_\_

| NCR: |      | WORK ORDER NON-CONFORMANCE (NCR) |                             |                                 |                |                           |                       |                          |
|------|------|----------------------------------|-----------------------------|---------------------------------|----------------|---------------------------|-----------------------|--------------------------|
| DATE | STEP | Description of NC<br>Section A   | Corrective Action Section B |                                 |                | Verification<br>Section C | Approval<br>Chief Eng | Approval<br>QC Inspector |
|      |      |                                  | Initial<br>Chief Eng        | Action Description<br>Chief Eng | Sign &<br>Date |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |
|      |      |                                  |                             |                                 |                |                           |                       |                          |

**NOTE:** Date & initial all entries





# Scotchcal™

## Opaque Imaging Media 8522

### Description

This media is specially formulated to dry quickly after printing. Production of outdoor weatherable and long-term indoor durable graphics is now easier than ever. Its changeable adhesive allows easy removal for up to one year.

### Advantages

- Optimized for use with selected Epson Stylus Pro printers and Epson Archival inks.
- Optimized for use with selected HP DesignJet Printers and HP DesignJet Ink System UV or HP83UV Color Ink System
- For making opaque, laminated graphics that are outdoor weatherable and long-term indoor durable
- Media:
  - For opaque (reflective) graphics
  - Changeable, easy to remove from warranted substrates up to 1 year later
  - Dries quickly after printing so the overlamine can be applied almost immediately
  - Low slippage paper liner for superior tiling
- Overlaminates:
  - Provide additional UV (ultraviolet) and physical protection for making weatherable finished graphics
  - Available in luster and matte gloss
  - Adhesive allows for heat-assisted or cold-temperature lamination

### Applications and Uses

3M™ Scotchcal™ Changeable Opaque Imaging Media 8522 is intended only for ink jet printing and for use with the listed Compatible Products and Equipment and the following applications. Any other application is NOT warranted by 3M or covered by the worldwide 3M™ MCS™ Warranty unless 3M gives its prior written approval for the application.

- First surface images (the image is on top of the film) for opaque posters and signs, including:
  - Graphics for vans, personal vehicles, trucks and buses
  - Novelty posters
  - Retail and point-of-purchase displays
  - Information graphics such as maps and directories
  - Entertainment promotions in museums, zoos, parks, theatres, sports venues
  - Education and presentation graphics

## Product Bulletin 8522

Release F, Effective January 2003  
Black bar in margin indicates a change

- Legal and courtroom exhibits
- For flat or simple curved surfaces, with or without rivets, used in vertical ( $\pm 10^\circ$ ) applications

### Limitations of End Uses

The following uses and applications are specifically NOT warranted.

- Fleet applications in areas that use salt for winter road maintenance
- Application to non-warranted substrates, including wall-board
- Applications subjected to gasoline vapors or spills
- Application to corrugated or highly irregular surfaces or sharply raised areas
- Graphics applied to stainless steel, including stainless steel vehicles
- On flat surfaces with rivets, tenting of 4 to 10 mm around rivets may be expected; rivets may be cut around to eliminate tenting.

Note: Standard ink jet technology is water based. Water-based chemistry is susceptible to the extremes of heat and humidity. This is a factor in most product constructions on the market. Read the Fabrication, Shelf Life and Storage sections in this bulletin. Staying in the middle of these ranges always provides optimum performance.

## Compatible Products and Equipment

### Thermal Ink Jet Printing Systems

- Epson Stylus Pro 9500, Stylus Pro 10000 printer
  - Epson Archival Inks
- Epson Stylus Pro 10600 printer
  - Epson Archival Inks
- HP DesignJet Printers 2000 and 3000 series
  - HP DesignJet Ink System UV (pigment-based ink)
- HP DesignJet Printers 5000 series
  - HP83UV Color Ink System

### Overlaminates (required)

- 3M™ Luster Overlamine 8519 (semi-gloss)
- 3M™ Matte Overlamine 8520

Note: For the full product names of the 3M products listed on this page, please see page 1.

### Warranted Substrates

Media 8522 is warranted for use on the following rigid substrates.

Some substrates may "out-gas", resulting in tiny bubbles throughout the surface of the graphic. For maximum performance, be sure the substrate you select is properly cleaned and prepared as recommended by the manufacturer. See Instruction Bulletin 5.1 for additional information.

- Alodine (anodized aluminum)
- Automotive panels (automotive painted steel)
- Fruehauf (painted aluminum)
- FRP (fiberglass reinforced plywood)
- Glass
- Imron® (polyurethane-painted metal panel)
- Acrylic
- Sintra™ board

### Test and Approve Non-warranted Substrates Before Use

Media 8522 is not warranted for any substrate other than those listed above. If you want to use it for other substrates, 3M recommends that you test and approve the media for both adhesion and removal characteristics.

### Characteristics

| Characteristic                 | Description  |
|--------------------------------|--|
| Media                          | 7 mil, white, opaque graphic film  |
| Liner                          | Low-slippage, lay flat paper   |
| Adhesive                       | Changeable, pressure sensitive   |
| Thickness (media and adhesive) | 7.5 to 8 mil (nominal)   |
| Application substrates         | See Warranted Substrates, above  |
| Application surfaces           | Flat or simple curved surfaces, with or without rivets, used in vertical ( $\pm 10^\circ$ ) applications (no corrugations) |
| Application temperature range  | 28° to 110°F (-2° to 43°C)<br>(air and surface)  |
| Roll sizes                     | 36" x 45 feet (914 mm x 13.5 m)<br>54" x 45 feet (1372 mm x 13.5 m)  |

## How to Become a 3M Ink Jet Registered Fabricator

Only 3M Thermal Ink Jet Registered Fabricators are eligible to offer 3M MCS warranted graphics. In order to become certified, a fabricator must complete the requirements as specified in the 3M Ink Jet Graphics Registered Fabricator Reference Manual located on the 3M website at [www.scotchprint.com](http://www.scotchprint.com)

### Effective Performance Life

To obtain the warranty given below, the graphics must be made according to 3M's recommendations which are detailed in the Warranty and Limited Remedies on page 3. Also see the section, Removability.

### Warranted Durability

| Media 8522 with Overlaminates 8519 or 8520 | Epson Printers |         | HP Printers |         |
|--|----------------|---------|-------------|---------|
|  | Outdoor        | Indoor  | Outdoor     | Indoor  |
| Applied to Warranted Substrates            | 2 years        | 5 years | 3 years     | 5 years |

### Removability

Imaging media 8522 is removable from warranted substrates for 1 year without the aid of chemical strippers or accessories. Refer to Instruction Bulletin 4.23 for additional information.

### Fabrication

Graphics must be made according to 3M's recommendations which are detailed in the Warranty and Limited Remedies on page 3.

See Instruction Bulletin 4.23 for detailed fabrication, printing and mounting information.

### Graphic Construction Options

#### Opaque (Reflective) Graphics

Opaque graphics made with imaging media 8522 require an overlaminate and an opaque substrate.


Viewer/Light Source



Overlaminates 8519, 8520  
Adhesive on bottom



Imaging Media 8522  
Image on top; adhesive on bottom




Opaque Substrate

Note: For the full product names of the 3M products listed on this page, please see page 1.

## Shelf Life and Storage

- 3M™ Scotchcal™ Changeable Opaque Imaging Media 8522 has a shelf life of one year.
- Storage conditions (new and partially used rolls). For optimum performance, use the middle of these ranges:
  - Original packaging, including plastic wrap
  - Relative humidity of 20% to 80%
  - Temperature of 33° to 104°F (0° to 40°C)
  - Away from direct sunlight
- Do not stack unprotected rolls or lay sharp or heavy objects on them.

## Health and Safety

 **Caution**

When handling any chemical products, read the manufacturers' container labels and the Material Safety Data Sheets (MSDS) for important health, safety and environmental information.

To obtain MSDS sheets for 3M products:

- By fax, call 1-800-364-0768 in the US and Canada or 1-650-556-8417 for all other locations.
- Electronically, visit us at <http://www.3M.com/msds>.
- By mail, or in case of an emergency, call 1-800-364-3577 or 1-651-737-6501.

When using any equipment, always follow the manufacturers' instructions for safe operation.

## Warranty and Limited Remedies

### 3M™ MCS™ Warranty for Graphics Produced on HP DesignJet Printers and Epson Stylus Pro Printers

*The following is made in lieu of all other express or implied warranties, including any implied warranty of merchantability or fitness for a particular purpose: We warrant graphics produced by a 3M Ink Jet Registered Fabricator made with imaging media 8522, printed on an approved HP thermal ink jet printer according to HP's recommendations or Epson Stylus Pro printer according to Epson's recommendations, overlaminated with 8519 or 8520, and applied to a Warranted Substrate according to 3M's recommendations. These*



#### Commercial Graphics Division

3M Center, Building 220-6W-06  
PO Box 33220  
St. Paul, MN 55133-3220 USA  
General Info: 1-800-374-6772  
Technical Info: 1-800-328-3908  
Fax: 1-651-736-4233

Fax on-Demand: 1-800-364-0768 US/Canada or 1-651-732-6506 International  
Fax on-Demand document: 4506  
[www.scotchprint.com](http://www.scotchprint.com)

#### 3M Canada

P.O. Box 5757  
London, Ontario  
Canada N6A 4T1  
1-800-265-1840  
Fax: 519-452-6245

#### 3M México, S.A. de C.V.

Av. Santa Fe No. 55  
Col. Santa Fe, Del. Alvaro Obregón  
México, D.F. 01210  
52-55-52-70-04-00  
Fax: 52-55-52-70-22-77

#### 3M Puerto Rico, Inc.

Puerto Rico Industrial Park  
P.O. Box 100  
Carolina, PR 00986-0100  
787-620-3000  
Fax: 787-750-3035

graphics are covered against failure caused by ultraviolet light, temperature extremes, pollution, and other elements.

If a graphic fails to perform in accordance with 3M product specifications within this time frame, 3M will replace the materials at no charge. **These remedies are exclusive. In no case shall 3M be liable for any direct, indirect, or consequential damages, including any labor charges.**

## 3M Related Literature

Listed below is related 3M technical literature that may be of interest. You may view and print these Bulletins from our Web site at [www.scotchprint.com](http://www.scotchprint.com), or order them via our Fax-on-Demand (FOD) system. Call one of these phone numbers to order the desired bulletins, and specify the FOD document number provided in the chart.

United States or Canada: 1-800-364-0768  
International: 1-651-732-6506

| Subject   | Bulletin No. | FOD No. |
|---|--------------|---------|
| <b>Product Bulletins</b>  |              |         |
| 3M™ Scotchcal™ Overlaminate 8519 and 8520   | 8519/8520    | 4524    |
| <b>Instruction Bulletins</b>  |              |         |
| Making thermal ink jet graphics   | 4.23         | 6523    |
| Application, substrate selection, preparation and substrate-specific application techniques | 5.1          | 7001    |
| <b>Warranties</b>   |              |         |
| Worldwide 3M™ MCS™ Warranty Packet (includes all Commercial Graphics MCS Warranties)        |              | 9503    |
| Worldwide 3M™ MCS™ Warranty Overview-Folder   |              | 9504    |

*3M, Scotchcal and MCS are trademarks of 3M.  
Epson and Stylus Pro are trademarks of Epson.  
HP and DesignJet are tradenames of Hewlett Packard.  
Sintra is a trademark of Swiss Aluminum Ltd.  
Intron is a registered trademark of DuPont in the United States*

## Bulletin Change Summary

The Epson Stylus Pro Printers 9500, 10000 10600, and Epson Archival Inks have been added to this bulletin. Additional changes resulting from this addition are marked with black bars in the margin.



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO14813**

Purchase Order Date 9/2/2011

PO Print Date 9/2/2011

Page Number 1 of 2

**Order From :**

VC-STU001

STUDIO DE LETTRAGE 2001  
210 MAIN WEST  
HAWKESBURY, ON K6A 2H6  
CA

**Contact Name**

**Vendor Phone** 613 632 5449

**Vendor Fax** 613 632 9491

**Vendor Account Nbr**

**Buyer**

Chantal Lavoie

**Requisition Nbr**

**Tax Resale Nbr** 10127-2607

**Terms**

Net 30

**Currency**

CAD

**FOB**

Destination-Collect

**Ship To :**

DART AEROSPACE LTD 1270 ABERDEEN  
HAWKESBURY, ON K6A 1K7  
CANADA

*Chantal Lavoie*

| Line Nbr | Reference<br>Revision<br>Vendor Part Number | Description/<br>Mfg ID | Req Date/<br>Taxable              | Req Qty/<br>Unit of Measure | Ship Method | Unit Price | Extended<br>Price |
|----------|---|------------------------|-----------------------------------|-----------------------------|-------------|------------|-------------------|
| 1        | D3428-1P                                    | Placard                | 9/9/2011<br>Yes                   | 20.00<br>Each               | Yours ppd   | \$5.0000   | \$100.00          |
|          |   | Special Inst:          | AS PER DWG D3428 REV. A<br>B73498 |                             |             |            |                   |
| 2        | D3997-1P                                    | Placard                | 9/9/2011<br>Yes                   | 10.00<br>Each               | Yours ppd   | \$5.0000   | \$50.00           |
|          |   | Special Inst:          | AS PER DWG D3997 REV. A<br>B73509 |                             |             |            |                   |
| 3        | D3997-5P                                    | Placard                | 9/9/2011<br>Yes                   | 10.00<br>Each               | Yours ppd   | \$5.0000   | \$50.00           |
|          |   | Special Inst:          | AS PER DWG D3997 REV. A<br>B73507 |                             |             |            |                   |
| 4        | D3997-11P                                   | Placard                | 9/9/2011<br>Yes                   | 10.00<br>Each               | Yours ppd   | \$5.0000   | \$50.00           |

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 1

Change Date: 9/2/2011



Dart Aerospace Ltd.  
1270 Aberdeen Street  
Hawkesbury, ON K6A 1K7  
Tel: 613 632 9577  
Fax: 613 632 1053

## PURCHASE ORDER

Purchase Order ID **PO14813**

Purchase Order Date 9/2/2011

PO Print Date 9/2/2011

Page Number 2 of 2

Order From :

VC-STU001

STUDIO DE LETTRAGE 2001  
210 MAIN WEST  
HAWKESBURY, ON K6A 2H6  
CA

|                    |              |                 |                     |
|--------------------|--------------|-----------------|---------------------|
| Contact Name       |              | Buyer           | Chantal Lavoie      |
| Vendor Phone       | 613 632 5449 | Requisition Nbr |                     |
| Vendor Fax         | 613 632 9491 | Tax Resale Nbr  | 10127-2607          |
| Vendor Account Nbr |              | Terms           | Net 30              |
|                    |              | Currency        | CAD                 |
|                    |              | FOB             | Destination-Collect |

Special Inst: AS PER DWG D3997 REV. A  
B73510

|   |           |         |          |       |           |          |         |
|---|-----------|---------|----------|-------|-----------|----------|---------|
| 5 | D3997-17P | Placard | 9/9/2011 | 10.00 | Yours ppd | \$5.0000 | \$50.00 |
|   |           |         | Yes      | Each  |           |          |         |

Special Inst: AS PER DWG D3997 REV. A  
B73513

|   |           |         |          |       |           |          |         |
|---|-----------|---------|----------|-------|-----------|----------|---------|
| 6 | D3997-25P | Placard | 9/9/2011 | 10.00 | Yours ppd | \$5.0000 | \$50.00 |
|   |           |         | Yes      | Each  |           |          |         |

Special Inst: AS PER DWG D3997 REV. A  
B73506


|   |           |         |          |       |           |          |         |
|---|-----------|---------|----------|-------|-----------|----------|---------|
| 7 | D3997-29P | Placard | 9/9/2011 | 10.00 | Yours ppd | \$5.0000 | \$50.00 |
|   |           |         | Yes      | Each  |           |          |         |

Special Inst: AS PER DWG D3997 REV. A  
B73511

|   |           |         |          |       |           |          |         |
|---|-----------|---------|----------|-------|-----------|----------|---------|
| 8 | D3997-43P | Placard | 9/9/2011 | 10.00 | Yours ppd | \$5.0000 | \$50.00 |
|   |           |         | Yes      | Each  |           |          |         |

Special Inst: AS PER DWG D3997 REV. A  
B73512

PO Total: \$450.00



*h* *CL*

No substitution or deviation without  
consent.  
Certificate of Conformity or Material  
Certification required when applicable

Change Nbr: 1

Change Date: 9/2/2011

# Studio de Lettrage

210 Main Street W  
Hawkesbury, Ontario K6A 2H6

## INVOICE

Invoice No.: 16342  
Date: 09/12/2011  
Ship Date:  
Page: 1  
Re: Order No. 11440

Sold to:

Dart Aerospace Ltd  
1270 Aberdeen  
Hawkesbury, Ontario  
K6A 1K7

Ship to:

Dart Aerospace Ltd  
Hawkesbury, Ontario

Business No.: 82500 7651 RT0001

| Item No.                                | Unit | Quantity | Description            | Tax | Unit Price | Amount |
|---|------|----------|------------------------|-----|------------|--------|
|   |      | 20       | D3428-1P set up        | H   | 2.50       | 50.00  |
|   |      | 10       | D3997-1P set up        | H   | 5.00       | 50.00  |
|   |      | 10       | D3997-5P set up        | H   | 5.00       | 50.00  |
|   |      | 10       | D3997-11P set up       | H   | 5.00       | 50.00  |
|   |      | 10       | D3997-17P set up       | H   | 5.00       | 50.00  |
|   |      | 10       | D3997-25P set up       | H   | 5.00       | 50.00  |
|   |      | 10       | D3997-29P set up       | H   | 5.00       | 50.00  |
|   |      | 10       | D3997-43P set up       | H   | 5.00       | 50.00  |
|   |      | 1        | printing               | H   | 175.00     | 175.00 |
|   |      |          | H - HST 13%            |     |            |        |
|   |      |          | HST                    |     |            | 74.75  |
|   |      |          | PST Exempt: #6122-5207 |     |            |        |
| Studio de Lettrage HST: #869034678RP001 |      |          |                        |     |            |        |
| Shipped By: Tracking Number:            |      |          |                        |     |            |        |
| Comment: PO 14813                       |      |          |                        |     |            |        |
| Sold By:                                |      |          |                        |     |            |        |
| Total Amount                            |      |          |                        |     |            | 649.75 |